

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S13	0	updat\$4 NEAR4 list\$1 NEAR4 alternatives NEAR8 (previous OR prior OR history)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 14:16
S14	1	updat\$4 NEAR4 list\$1 NEAR4 correction\$1 NEAR8 (previous OR prior OR recent\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 14:17
S17	349	correction\$1 NEAR8 (previous OR prior OR recent\$2) AND ("704"). CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 14:18
S16	26042	correction\$1 NEAR8 (previous OR prior OR recent\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 14:18
S15	1	updat\$4 NEAR4 list\$1 SAME correction\$1 NEAR8 (previous OR prior OR recent\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 14:18
S18	5	(transcript\$4 OR transcrib \$4) SAME correction\$1 NEAR8 (previous OR prior OR recent\$2) AND ("704").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 14:19
S20	386	correct\$4 NEAR2 (previous\$2 OR prior OR recent\$2) AND ("704"). CLAS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 14:21

S19	204	correction\$1 NEAR3 (previous\$2 OR prior OR recent\$2) AND ("704"). CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 14:21
S21	49	list SAME correct\$4 NEAR2 (previous\$2 OR prior OR recent\$2) AND ("704").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 14:22
S23	21	correct\$4 NEAR2 (history) AND ("704"). CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 14:24
S22	3	list SAME correct\$4 NEAR2 (history) AND ("704").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 14:24
S27	202	alternatives NEAR4 list\$4 AND ("704").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 14:27
S26	196	alternatives NEAR4 list\$2 AND ("704").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 14:27
S25	171	alternatives NEAR4 list AND ("704").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 14:27
S24	2993	alternatives AND ("704"). CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 14:27

S28	6	alternatives NEAR4 list\$4 NEAR4 updat\$4 AND ("704").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 14:29
S29	6	alternatives NEAR4 list\$4 NEAR4 updat\$4 AND ("704").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 14:38
S31	1	(alternatives OR candidate\$1) NEAR4 list \$4 NEAR8 updat\$4 SAME history AND ("704"). CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 14:39
S30	47	(alternatives OR candidate\$1) NEAR4 list \$4 NEAR8 updat\$4 AND ("704").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 14:39
S33	5	(alternatives OR candidate\$1) NEAR4 list \$4 NEAR8 history AND ("704").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 14:40
S32	0	(alternatives OR candidate\$1) NEAR4 list \$4 NEAR8 updat\$4 SAME recent\$2 AND ("704"). CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 14:40
S34	2	("6418410").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 14:45
S35	9	("6418410").URPN.	USPAT	OR	OFF	2010/01/07 14:48
S37	55	(alternatives OR candidate\$1) NEAR4 list \$4 NEAR8 replac\$5 AND ("704").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 14:52

S36	43	(alternatives OR candidate\$1) NEAR4 list \$4 NEAR8 replac\$4 AND ("704").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 14:52
S38	2	("20040156562").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 15:06
S39	2	("20020091520").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 15:09
S40	3	correction ADJ history AND ("704").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 15:14
S41	43	correction ADJ frequency AND ("704").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 15:15
S43	13	correction ADJ history SAME word\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 15:16
S42	1	correction ADJ history SAME word\$1 SAME candidate\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 15:16
S45	4	correction ADJ count AND ("704").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 15:17

S44	1	replacement ADJ history AND ("704").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 15:17
S46	7	correction ADJ count\$2 AND ("704").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 15:19
S49	15	correct\$2 NEAR2 recent \$2 AND ("704").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 15:20
S48	0	correction ADJ recent\$2 AND ("704").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 15:20
S47	37166	correction ADJ recent\$2 ("704").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 15:20
S51	4	select\$2 NEAR2 recent\$2 NEAR8 candidate\$1 AND ("704").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 15:22
S50	23	replace\$2 NEAR2 recent \$2 AND ("704").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 15:22
L1	2	recogni\$6 NEAR2 recent \$2 NEAR8 candidate\$1 AND ("704").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/08 09:10

L2	38	recogni\$6 NEAR2 previous\$2 NEAR8 candidate\$1 AND ("704"). CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/08 09:16
L4	19	misrecogni\$6 NEAR2 previous\$2 AND ("704"). CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/08 09:30
L3	0	misrecogni\$6 NEAR2 previous\$2 NEAR8 candidate\$1 AND ("704"). CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/08 09:30
L5	4	("20020178344" "5566272" "5748841" "5912949").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/01/08 10:09
L7	9	order NEAR4 list NEAR8 candidate\$1 SAME history	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/08 10:10
L6	5	top NEAR4 list NEAR8 candidate\$1 SAME history	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/08 10:10
L10	11	order\$4 NEAR8 candidate \$1 SAME history AND ("704").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/08 10:12
L9	224	order\$4 NEAR8 candidate \$1 SAME history	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/08 10:12
L8	22	order\$4 NEAR8 list\$1 NEAR8 candidate\$1 SAME history	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/08 10:12

L11	25	order\$4 NEAR8 candidate \$1 SAME recent\$2 AND ("704").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/08 10:13
L12	9	list\$4 NEAR8 candidate \$1 SAME history\$2 AND ("704").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/08 10:15
L13	32	list\$4 NEAR8 select\$1 SAME history\$2 AND ("704").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/08 10:16
L15	101	display\$4 NEAR8 select \$4 SAME history\$2 AND ("704").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/08 10:19
L14	780	select\$4 SAME history\$2 AND ("704").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/08 10:19
L17	95	select\$4 SAME history\$2 SAME correct\$5 AND ("704").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/08 10:20
L16	3	display\$4 NEAR8 select \$4 SAME history\$2 SAME correct\$5 AND ("704"). CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/08 10:20
L18	301	history\$2 SAME correct \$5 AND ("704").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/08 10:22

L20	3908	proofread\$4NEAR8 history\$2 NEAR8 correct \$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/08 10:27
L19	1	proofread\$4 AND word NEAR8 history\$2 NEAR8 correct\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/08 10:27
L22	44	word\$1 NEAR8 history\$2 NEAR8 correct\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/08 10:28
L21	4	proofread\$4 NEAR8 history\$2 NEAR8 correct \$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/08 10:28
L23	76	word\$1 NEAR8 recent\$2 NEAR8 correct\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/08 10:29
L24	0	misrecogni\$6 NEAR2 history NEAR4 word\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/08 10:31
L25	35	recogni\$6 NEAR2 history NEAR4 word\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/08 10:32
L26	7	misrecogni\$6 NEAR2 history	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/08 10:33

L27	16	misrecogni\$6 NEAR6 history	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/08 10:36
L28	61	misrecogni\$6 NEAR6 previous\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/08 10:37

EAST Search History (Interference)

< This search history is empty >

1/ 8/ 2010 11:18:04 AM**C:\ Documents and Settings\ jpullias\ My Documents\ EAST\ Workspaces\ 10550967_3.wsp**